

To: NATHAN DURHAM

Location: RND-7861

Art Unit: 3765

Thursday, January 03, 2008

Case Serial Number: 10/575168

From: TERRI BEALE

Location: ElC3700

RND-8831/RND-8831

Phone: (571)272-8324

terrijor.beale@uspto.gov

Attached please find the results of your prior art search. I did not find items of interest. Please feel free to contact me if you have additional questions or concerns.

EIC 3700 welcomes your feedback and would be particularly interested in knowing if you use any of these references in an office action. If you have a moment, please let us know which references you use.

Thank you and have a great day.



Foreign Patent Abstracts

File 347: JAPIO Dec 1976-2007/Jun(Updated 070926)

(c) 2007 JPO & JAPIO

File 350: Derwent WPIX 1963-2007/UD=200801

(c) 2008 The Thomson Corporation

File 371 French Patents 1961-2002/BOPI 200209

(c) 2002 INPL. All rts. reserv.

Sei Items Description

WATOR MAIS OR OUIL 12.4 OR BLANKET2. OR COVERLET? FOR CANVA-MATOR MAIS OR OUIL 12.4 OR BLANKET2. OR COVERLET? FOR CANVA-METOR TANKET?

- SZ 13Z2SSW PART OR PARTICIAN FÖR PARTS OR PECET FOR PORTION FOR A ERZONFF OR SECTION FOR SECTIONS OR SEPARTS FOR COMPARTMENT OR NETS OR SCHOOL OR SECTION FOR CELANISER FOR PARTS OR PARTIE. CELA OR CELLS OR SECTION FOR CELANISER FOR PARTS OR PARTIE.
- S3 276194 S2(3N)(INTERFOLOW CONTOLLOWY ON NUTATIVE ON TUCKYE ON CAS-THER 27 OR BENT ON BENDY! OR CREASE! OR OVERLAP! OR OVERLAY!)
- SS TIMTI HANGERT FOR BOOKFFOR FASTINGET FOR BOLDERFFOR FEGIF OK KNOBY
 - HORDON ISSUMMED TO THE CONTRESSOR COATTY ON MAKEETT TO CREATE SANCE AND ADROBE CONTRESSOR ON MAKEET TO CREATE SANCE AND ARRANGED BY COMMENCE OF THE COMMENT OF THE COMMENCE OF

BAGS)

- 87 31 STAND \$3 AND \$6
- S8 28 S7 NOT AY 2003:2008
- S9 49 STAND S4 AND 56
- S10 40 59 NOT S8
- SII 30 SIONOTAY=2003:2008
- 812 300 S4(5N)S6
- 813 10 812 AND 81
- \$14 5 \$13 NOT \$8
- SIS 4 SIANOTAY=2003/2008
- STO B AU-(KOEDA, F? ON KOEDA F?) ST? TRUB AU-(MATSUZAWA, K? OR MATSUZAWA K?)
- \$18 1835 \$16 OR \$17
- SIO I SINANDSI

8/3.K/4 (Item I from file: 350)

UIALOG(R)File 350 Derwent WPIX
(c) 2008 The Thomson Corporation All rts, reserv.

7073157473 - Downing available WYS ACC NO: 2003-219738/200321 XXAM ACC NO: C2003-055784 XXPX ACC NO: N2003-175201

Suitcase for handling garments and other objects, comprises frontal and hinder computinents that can be folded together for common purposes or released to pulled fully open for accommodating suits in hung position second

Patent Assignce: TONG J (TONG-I)

Inventor: YONG I

(vertenere f. paneling f.) Allandik kantadik

man

noithealtaine.

Mangar King King Mangar

Os mantorados de montro do montro de montro de montro de mantor de de mantor de mantor

Priority Applications (no., kind, date); US 2001834916 A 20010416

Patent Details

Number | Kind Lan Pg Dwg Filing Notes US 20020148694 | A.J. EN | 12 | 8

Suitcase for bandling garments and other objects, comprises frontal and hinder comparinguist that can be filded together for annuace purposes or released to pulled fully open for accommodating suits in hung...

Alerting Abstract ... lid by a sip. The hinder compatitues that structured harging hook and pressure piece. The compartitional may be inided together for compatition for compatition for compatition in the compatition for commodation saits in heig...

...picos (26) estados do silher of bolo sides internally. When both frontsi compartment and binder equipment and bilded to closure, a sufficient is assembled in form for common pulpages. When the alpa in ...

the suitease will then be switched to serve in the capacity of the fully developed garment hanger with the booking clevis (24) furnished in the suitease put into effect in the mean.

Technology Focus

the common overlap of each pressure piece. A clevis is provided inside the case straight down the hooking element to facilitate hanging.

Original Publication Data by Authority

categorical A landerical

a some as to completion is brought only being structured accordingly the suite some suite.

Claims

.. sewn with a zipper, and has a removably structured hanging hook provided

centrally on the bottom wall thereof, and a pressure piece attached to either of both sides internally; structured accordingly, when both the frontal comparament and the hinder compartment are folded to closure, by the pull of both zippers provided on peripheral rims inside both companiem to clienz, a suitease is amadial in form...

. The suitcase will then the ewitched to stevals the councity of a fifty developed garment hanger what with the hooking cievis furnished in the suitease put into effect in the meantime, serving rightly the purpose of a portable suit...

(Hem 2 from file: 350) # N. K. W DIALOG(R)File 350 Derwent WPIX (c) 2008 The Thomson Corporation. All its. reserv.

401 120 1675 - Danning annihible NN ACC NO. 2002-NO 131/2002 II XXXX XXX No: NOX2-105587 Confirmed to the amost we many executive after academy combinations to telegrate the ayanpa yanka, maa ayana mag Patant Assignate VON HOENNING F. (VEOE-1) Inventor Maringhillo r v; van Handillin r Patent Family (7 patents, 93 (puntind) nomunicana giffliffiff. Kind Imm Number and naix Hanngar. WO 2002ND827 - AZ 20020117 WO 2001270806 - A 20010018 200218 20 *a 2000000 200233 X* THE SHOWING THE A 20010618 200234 S au 200185755 - a - 20020121 - 511,260185755 -C2 20000711 DE1003473 A 2000710 20007 E EMERINE TIL A 20010618 200328 E A2 20030416 EP 2001964996 EP 1301098 WO 2001EP6856 A 20010618 A 20010618 200377 E EP 1301008 B1 20051123 EP 2001964996 WO 2001EP6856 A 20010618 G 20051229 DE 50108183 - A 20010618-200603-E 08:50108183 EP 2001964996 A 20010618 WO 2001EP6856 A 20010618

Priority Applications (no., kind, date): DE 10033473 A 20000710

Patent Betails

Kind Lan Pg Dwg Filing Notes Namber WO 2002003827 A2 DE 17 I

National Designated States Original: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS IP KE KG KP KR KZ LC LK LR LS LT LU LV MA MI) MO MK MN MW MX MZ NO NZ PL PT RO RU SD SE SCISI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW

Regional Designated States, Original: AT BE CHICY DE DK EA ES FIFR OB OH GM GRIETTKE LS LUIMC MW MZ NUDA PT SD SE SUSZ TR TZ UG ZW

Based on OPI patent WO 2002003827 AU 200185755 A EN PCT Application WO 20013P6856 EP 1301098

Based on OPI patent. WO 2002003827

Regional Designated States, Original, ALAT BE CHCY DE DK ES F1 FR GB GR TE IT LITTLULY MC MK NLPT ROSESITR

PCY Application WO 2001EP6856 BI DE ED 1301058 Based on OPI patent WO 2002003827

Regional Designated States, Original AT BE CH CY DE DX ES FIFR OB GR IE IT LI LU MC NL PT SE TR

DE 50108183 G DE

Application EP 2001964996

PCT Application WO 2001EP6856 Bused on OPI patent FP 1301098 Based on OPI patent WO 2002000827

Suitcase to be used as mini wardrobe after arrival, comprising integrated clothes hanger and clothes rail

Alerting Abstract . shell (3) resting on the lower shell (1) in order to reveal the interior: a clothes hanger (19), joined to the upper side (13) after the case has been opened, a large...

... The d between the sides (9) of the lower shell (1). A mill, honging from the clothes hanger (19) is automatically folded around the rail (21). when the date is closed and kept... and and and the second

Original Publication Data by Authority

Original Abstracts:

, interlinking said from wall and back wall. The trunk or case further comprises a bottom wall and a cover wall opposite and parallel thereto which is provided with a hinge-system (5, 7), the hinge axis of said hings system actionding in passifol to ...

. The two shells (1, 3) stably sit one on top of the other and a clothes hanger (19) or a fixture for such a clothes hanger is provided on the upper part of the open travel case and within the shell (3) that is swiveled up...

Linterlinking said front wall sod back wall. The trunk or case further comprises a bodom wall and a cover wall opposite and parallel thereto which is provided with a large system (5, 7), the large axis of dand add ban day mada ald ed isdanu, ad gaibunban emirap ampid dang mail The buyer thick.

andiolo o bancario applica que no eno de Adate (C., 1) elimite con al C... paralles. (12) or a gretone tor each a chappan lifthing is incorporat on the in tadis (E) itada adis distrir bana anno bararia anno anno adis io inggrisqui asia kalabidika

Mahilli .

a ban ileo saeta gaiyal ban jigalo el asos layan seb nediy ilaye... parallel cover wall lying opposite it, in the region of which a hinge (5, 7) is fitted 17) lie one above the other and the base wall adictification of the property of the property of the party and the first the second property of the party and the second property of the party and the second party of the party and the second party of the model talls or some lineally made

...shells (1, 3) sit in a stable arrangement one on top of the other a clothes hanger (19) or a holder for one is fixed to the top end of the open travel case and inside the upwardly pivoted shell (3), the cover wall, one part of which is folded back when the travel case is open and thus lies on the other, has a cut-out designed so that an item of ciothing hanging on the clothes hanger (19) does natell in a crease ever a dividing edge of the cover well but hange down remindly straight, and when the travel case is open, the cut-out in the side of the two shells i, 3 sitting one one top of the other is open towards the opened side of the case forming a continuous cavity linking the interiors of the two shells i, 3.

Valise de velements ou de voyage essentiellement en forme de parallelepipede et comprenant une paroi frontale, dans laquelle lu valise

8/3,K/7 (Item 4 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2/08 The Thomson Corporation, All ns. reserv.

0010863354 - Drawing available WPLACC NO: 2001-482398/200152 XRPX Acc No: N2001-357068

Shoulder guard for attachment to garment hanger, has end walls provided to long member and adjustable between collapsed and crect states

Patent Assignee: KISELIK D.R. (KISE-I)

Inventor: KISELIK D R

pagang pangh (g kaganar g conniciee)

Mont

minimak

R reducid

Kind Die Northe Killer Die Little

QS 6269989

B1 20010807 US 200009905 A 20001030 200152 B

Priority Applications (no., kind, date): US 2000/99905 A 2000/1030

Patent Details

Number | Kind Lan Pg Dwg Filing Notes US 6269989 | B1 EN 11 8

Shoulder guard for attachment to garment hanger, has end walls provided dadjustable between collapsed and erect states

shoulder guard.

Alerting Abstract ...directions. Coupling members (50) fix the long member ends (54) to the ends of the gurment banger (12) in which the long member end walls (52) are adjustable between a collapsed state.

Inng member. Sints are formed to the end walls, to receive corresponding sections of the gurment. hanger, such that the long member is coupled to the garment banger regardless of the long member state. Gussets (70) extend between the garment banger.

...USE - For attachment to garment hanger

... creases on garment during storage and transport. Simplifies and expedites attachment of shoulder guard to garment. hanger.

Criginal Emblication Data by Authority

Original Abstracts:

A garment banger shoulder guard has an clongate overall configuration with a central portion, a coupling member at ...

the flatency in garment hanger without the field to the field of the country of the country of the country of the country members and the should be country members and the should be country to the country members and the should be country to the country members and the should be country country to the field of the country members and the should be country to the c

A garaseut benger shoulder guard to manufactual customic colors of configuration wherein the bender that the configuration to provide a decision of by the guarantees to provide a decision by the guarantees to be appointed by the guarantees to b

Thoughout the opposite end portions for hanging the carment to be supported by the garment. hanger, the shoulder guard comprising an elongate member having a length extending in a longitudinal direction between opposite.

generally centrally between the opposite ends and the opposite side edges for receiving the suspension bank of the garment banger the elongate member including intermediate shoulder support portions located between the central portion and each of the opposite ends, each shoulder.

the end wall being movable selectively between a collapsed position.

wherein the end wall extends altitudinally from the changet member for terms coupled with the garment hanger a sold in the end wall the lot passing beginningly through the end wall and extending acting mally for receiving a corresponding and portion of the garment hanger and grappy the corresponding and portion to couple the cloudate member to the garment hanger when the coupling member is creating and acquire position and end wall with corresponding shoulder appoint portion. The passit extending from the end wall laterally put wardly beyond.

the energy configuration with the shoulder support portions and the gazet concerns to the portion of the state of the company members according to the state of the gazet than the state of the state of the gazet than the state of the state

desired garment-supporting comour configuration.

83.K/8 (Hem 5 from file: 350) DIALOG(R)File 350 Dervent WPIX (c) 2008 The Thomson Corporation, All ma. mall?.

0010755175 - Orawing available WPLACC NO. 2001-368574/200139 XRPX Acc No. N2001-268949

Transport container for suspended clothing has pallet with cardboard container having retractable front wall panel for loading

Patent Assignee: BRAKEMANN VERPACKUNGEN GMBH & COKG (BRAK-N)

Inventor BRAKEMANN I

Patent Family (4 patents, 25 countries)

Application 11:316:31 ARRIGHARIA. Nied Ing Number apple of the Said u 200 ioloi 200 io VI 20010510 DE20183500 MILLEON HILL THE EXHIBITION THE STANDARD SECTIONS A 2000000 200000 E ENERGISE MA CO SHOWERS DIESERATED

Priority Applications (res., kind, date): DE 20103590 (U-2001030)

A 20020202

Patent Details

XP 20022487

LETTELLE LUILV MCMK NETT ROSESTIR EP 1238924 BLDE

Regional Designated States, Original: DE GB

DE 50200362 G DE Application EP 20022487 Based on OPI patent EP 1238924

Alerting Abstruct USE - For transporting suspended clothes on hangers

Original Publication Data by Authority

CHINING:

of board which is inserted into the letter and projects beyond it, rests on its walls and is dimensioned in accordance with their width dimensions. Stacharacterized in that the fielding box stands on a pallet (2), and <0>in that <0> a from eight (6) can be...

8/3.8/9 (Item 6 from file: 350)
DIALIXA NO Block SOll between APIX
(c) 2008 The Thomson Corporation All its reserv.

0010649255 - Drawing available WPI ACC NO. 2001-256908/200126 Related WPI Acc No. 2001-513890 XRPX Acc No: N2001-183175

Hanging package display unit for displaying multiple units of various articles of clothing such as underwear, blouses and slacks, shirt and pants

Patent Assignce: RAHMEY J (RAHM-I)

Inventor: RAHMEY J

Patent Family (1 patents, 1 countries)

Patent Application

Number Kind Date Number Kind Date Update

US 6209763 BI 20010403 US 2000501111 A 20000209 200126 B

Priority Applications (no., kmd, date): US 2000501111 A 20000209.

Patent Betails

Number Kind Lan Pg Dwg Filing Notes

US 6209763 B1 EN 16 10

Alerthy Abstract ... 70 told section Original Publication Data by Anthonity

A hanging package display unit for holding and displaying multiple clothing articles, comprising—a) a first hanger including a pair of an holding members being attached to a central neck member; said.

and second baseers for bolding and displaying multiple clothing and covering said particles and execution of the packaging display care for particle said packaging and covering said packaging display card includes a central from wall on apper flap member having a test meeting tab thereon and a lower tap member having a

8/3,K/11 (Item 8 from file: 350) DIALOG(R)File 350:Derwest WPIX

(c) 2008 The Thomson Corporation. All ris, reserv.

0009487077 - Drawing available

WPLACE NO: 1999-428896/199936

XRPX Acc No: N1999-319190

lioider for supporting clothes hangers on wall or shelf inside closes

Patent Assignee: MCKENZIE M (MCKE-I)

In ansmire dicherencia

Patent Finity () pitting () countries),

HIRITALL.

Amicetion

goldenska statil kraile vodenalek

US 5924578 - A. 19980720 US 199801272, A. 19971637 (199956 B

Priority Applications (no., kind. data): US 1987831772 A 19978307

eliciel Details

Number Kind Lan Pg Dwg Filing Notes US 5924578 A EN 6 10

Holder for supporting clothes hangers on well or shelf inside closet

Original Fittes; Clothing hanger holder.

Aboting Abstract USE - For expanding Million langues on Will Or shelf-halde closet...

...DESCRIPTION OF DRAWINGS - The figure shows the side view of the holder with the clothes hanger moved from back to from:

Original Publication Data by Authority

Original Abstracts:

cost by coveredly beat end sections. A third roc may be provided to concern the beat end sections to the book is stacked to may be provided to preference the provided to preference embodies to the coveredly beat end sections of the first and sections of the first and sections for the first sections.

8/3,8/16 (Hem 13 from file: 350)

DIALOG(R)File 350 Derwent WPIX

(c) 2008 The Thomson Corporation, All rts. reserv.

0008842683

WPI ACC NO: 1998-075563/199807

XRAM Acc No. C1998-023212

Hanger for clothes drying - has vertical stands whose upper section

is bent at angle towards wall

Patent Assignee: ELEKTROSTAL CHEM MECH WKS STOCK CO (ELEK-R)

Inventor GORDIENKO VII, NAFFE-CHERNETS R YU

Patent Family (1 patents, 1 countries)

Patent Application

Number Kind Date Number Kind Date Update

RU 2081223 CI 19970610 RU 1995104415 A 19950324 199807 B

Priority Applications (no., kind, date): RU 1995104415. A. 19950324

Patent Details

Number | Kind Lan Pg Dwg Filing Notes

RU 2081223 CIRU 4 3

Hanger for clothes drying...

...has vertical stands whose upper section is bent at angle towards wall

Alerting Abstract - vertical stands (2) and a base (5) with cross piece (4) and devices for framework hanging on the wall, located at the ends of the vertical stands. The framework is base can be moved.

congle towards the wall to form, in a vertical position, a free space between the wall and the hanger place for clothes drying in the framework vertical position...

Documentation Abstract

...vertical stands (2) and a base (3) with cross piece (4) and devices for framework hanging on the wall, located at the ends of the vertical stands. The framework is base can be moved...

angle towards the wall to form, in a vertical position, a free space between the wall and the hanger plane for ciothes drying in the framework vertical gosition.

8/3.K/18 (Bem 15 from file: 350) DIALOG(R)File 350:Derwent WPIX

(c) 2008 The Thomson Corporation, All rts. reserv.

0000435734 - Driving wedshir WELACC NO. 1987-554442/198751 XXXX Act No. 181897-462004

Box shaped case for harper s**upported** claims—bacindes inclination part extending from both sides of hisrboxial support part lying on top of pasition, side pieces extending from third and fourth side walls Fatent Assignment (Althrick EX. (DATS-R))

Inventor: YOSHII H

Pateni Family (1 paients, 1 countries) Pateni — Annihation

Namber – Kied Ditte MiniSter – Kied Ditte Liede

IP 9267878 - A 19971014 IP 1996103333 A 19960339 199731 B

Priority Applications (no., kind, date); JP 1996103555 A 19960329

Patent Details

Number Kind Lan Pg Dwg Filing Notes JP 9267878 A JA S JO

Box shaped case for happer supported clothes -Alerting Abstract ... first side wall and a second lift plate (10) which extends from the second side wall . A banger piece (12) which extends from the first lid plate is provided with a number of ...

...top cover. An inclimation part (236) which extends libes both each of a horizontal support part (23a) **bends** downwards to compact with third and fourth side wills...

...ADVANTAGE - Provides portable and spacious case for receiving and storing of clothes on hangers.

*8/3,K/21 (Item 18 from file: 350)
DIALOG(R)File 350 Derwent WPIX
(c) 2008 The Thomson Corporation. All ris reserv

0007718316 - Drawing available N771ACC NO 1996-140 1996-1 Related WPI Acc No 1996-130346 1998-229435 1995-365451 NRPN Acc No N1996-287213

Device for holding folding clothing in compact bag particularly one suited for storage under seats or on overhead binds on aircraft - includes first

disagnied but with mombers for attaching first and speed har each to first and accord hinge of hinged sciningthat, and folding panel with folding line between first and scrood panel office.

Patent Amignee: ETFFEL DESIGN INC (EIFF-N)

inventor: PLATH R V

Patent Family (1 potents, 1 countries)

Patent

Application

Number

Kind Date Number Kind Date Update

US 5535880

A 19960716 US 199372782 A 19930604 199634 B

US 1994353110 A 19941209 US 1995510429 A 19950802

Priority Applications (No., kind, date), US 199372782 A 19930604; US 1994353110 A 19941209; US 1995510429 A 19950802

Patent Details

Number Kind Lan Pg Dwg Filing Notes

US 5535880 A EN 8 8 Division of application US 199372782

Division of application US 1994353110

Division of patent US 5398807 Division of patent US 5458239

Alarthy Abstract ...A two part falling panel is considered at one edge parallel to a biage between two compensations of a...

compartment and portions of the folding panel.

the first penel segment is lolded along the fold line over the second panel segment, and the composite folded panel is then folded into one composite folded.

...ADVANTAGE - Provides improved device for preventing crumpling and wrinkling of garments along fold line in piece of luggage designed to carry article of hanging clothing in folded configuration. Provides improved compact...

Original Publication Data by Authority

communal la taningal)

The storage under some or in eventual bins on commercial about in disclosed. A two part folding public is commercial at one dige parallel to a higge between two compartments of a milesee. A higger energing an article of clothing is appointed to a higge on the interior of a side wall opposite the higge so that the clothing by a cross the bottom of the pompartment and portions of the folling panel. Two accuracypidades has are provided over the higge and over a field line on...

...is remposed accumi some with a relatively large recite of equivalent when the first pages augment is folded along the fold line ever the second pages augment, and the competitive folded pages is their folded into one compariment of the suitors. A physity of straps. Challen

... money disposed within soid interior by I be said peripheral will he holding at least one languer, the importance of an apperate for holding a hanging article of clothing in and language article...

8/3,K/23 (Item 20 from file: 350)
DIALOX3(R)File 350 Derwent WPIX
(c) 2008 The Thomson Corporation, All rts. reserv.

0006021306 - Driving evaluable WPI ACC NO: 1893-229921/199342 XXPX Acc No: N1993-254732

Wardroin for transport of ciothes - has eardinard body, with ramovable tover, withing side waits as greated support with indentation in top edge of body supporting hanger rod.

Patent Amignee SOCIAR SOC CURT CARTON ONDITE (SOCI)

inventor: LACHOIX M

Patent Existly (1 patents, 1 countries)

Hanna

Application 1

Manhippy .

Kind Dan Mamber - Kind Date Circhia

PR 2686324

-Al 19930723 FR 1997401

A INCOLL CLICAGE &

Priority Applications (no., kind, date): FR 1992461 A 19920117

Patent Details

Number Kind Lan Pg Dwg Filing Notes

FR 2686324 AT FR II S

...has cardboard body, with removable cover, utilising side walls as ground support with indentation in top edge of body supporting hanger rod.

Alerting Abstract. Clothes (7) are suspended on coat. hangers (6) on a rod (5) contained in a transverse U section body (1). The body...

Dody is much from two shapes of contigued custod stack together. The cover comprises two parts piroting around a folding line parallel to the wall (2...

... ADVANTAGE - Cheap re-usable clothes holder which can be stacked in a small volume.

8/3,**K/24 (Rem 21 from file: 350)**DIAL(X(i(R)File 350: Derwent WPIX

(c) 2008 The Thomson Corporation, All its, reserv.

0005459339 - Drawing available

WPLACC NO: 1991-059791/199109 XRPX Acc No: N1991-046311

Nox for packing garment with one folding side - has lid hinged to upper end of folding side and cost hanger fixed in box

Patent Assignee: TROIS SUISSES FR (TROI-N)

Inventor: LAPORTE J C

Patent Family (2 patents, 8 countries)

Application THEFTHE

Manager . Kind Date Number Kind Date Update

A 19900822 199109 B A 19910227 EP 1990402340 EP 414612 A 19890824 199119 E A 19910301 FR 198911221 FR 2651213

Priority Applications (no., kind, date): FR 198911221 A 19890824

Patent Details

Kind Lan Pg Dwg Filing Notes Nambur

EP 414612

Regional Designated States, Original: AT BF DE ES FR IT LUNE.

when his binged to apper and of folding side and cost honger fixed be MAKE

Alerting Abstract .. One of its vention sides (12) foliations and its add to (11) trape recept of boson which (C) till A. (F) could altergenous side. A cour-benger (5) is fixed in the box, may the well opposite the thicking wall...

... half the beight of the box but less than its whole height. The box and cost - hanger are made in cordbount.

Original Publication Data by Authority

Original Alutracts:

odi ka kiele aldalla odi ka (11) ilifika etenga odi katilik yeliklek (2) etenni. constituer and a brail - hanger (I) Illied be all distiller is the proximity of the wall of this socialise which is most distant from ...

(Item 23 from file: 350) W3.K/26

DIALOG(R)File 350:Derwent WPIX

(c) 2008 The Thomson Corporation. All rts. reserv.

0000323674

WPI ACC NO: 1988-051216/198868

XXANI ACC NO. C1988-022637

XXPX App No: N1988-638904

Tear-aif sinch of plantics bago - with packeralad line on sunc but only of gjulli.

Patent Assigner: WINDWOGILER & HUBISCHER (WINN)

Inventor: MATTIEBE G; ULLMANN K Patent Family (10 patents, 12 countries):

HIBBER

iillittiitiititeele

Minnifen Kind Illia Ministr

Continue Chillippic in thill le

EREPLE AE A 1980224 EF 1887 1986 DE 3700914 a logozza degizeti

A 1987HIN HUMBE A a incomin income

A 19870114 108 2700914

A [98803]4 NO 198703474

N BRINSSES 1000000000

THEFT TO

ANGELLE V

1011111111

A 19860819 199035 E

DE 3700914 A 19870114

EP 256375 B 19901010 EP 1987110985 A 19870729 199041 E

CA 1291079 C 19911022 199149 E

NO 172972 B 19930628 NO 19873474 A 19870818 199331 E

Priority Applications (so., kind, diss); DE 3628031 A (98808)9; DE 3780914 A 19870114

Fatent Details

Number Kind Lan Pg Dwg Filing Notes

EP 256375 A DE 26 7

Regional Designated States Original: AT BE CHIFR GB NUSE.

US 4903839 A EN 14

EP 256375 B EN

Regional Designated States, Original - AT BE FR GB NL SE

CA 1291079 C EN

NO 172972 B NO Previously issued patent NO 8703474

Equivalent Alerting Abstract ...The culcum are congruent, parallel to and radially — from the perforations and each long also has langur boles in the upper, laterally disposed corners. Grip holes are located

condition in the constituence of the constitue

Their open ends, the sections are also provided.

...are defined by perforation lines and formed with aligned stacking or hanger holes. Only the rear wall of each bag is provided with partorstion lines defining the two upper corner portions of the rear wall

0002122223

WPIACONO 1981-083201V198106

Cormon stores and display but sufficiency walded to posterious desper pleat at cide and

per an error of a reference at the period of the period of

Parm Anglor, LEAROYD PÁCKAGÍNG (LEM), LEAGGYD YACKAGNG L (LEAGGY) Tombor: DNOWN P.A

Patent Family (2 patents, 1 countries)

Patent Application

Number Kind Date Number Kind Date Update

GB 2053151 A 19810204 GB 197924825 A 19790717 198106 B

GB 2053151 B 19830209 198306 E

Alerting Abstract...The hanger is pref. a bar welded to the thermoplastic bug wall, and a hanger book. A garment is inserted into the bag through the open mouth and the flap is then closed...

...patch. The hanger can be welded to the deeper pleat without interfering with the shallower pleat or any other part of the bag.

83,K/28 (Hem 25 from life: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All ris. reserv.

WIN ACCOUNT TOWN OF THE PROPERTY OF THE

College the pleasing constituer for modified Maids - blow modified with which and about the pleasing with

(OHEL) That TOUGH, company, went

Arrandor: BEXXIII W. G. WILLEAN T. D.

Coiceaca & magnet (d) Allegali recently

month

Amplication.

Monther Mind Dute Munifer

widness with their

US 4244409 A 19810113 US 197983003 A 19791009 19810S B

US 197983003 A 19791009

GB 2059916 A 19810429 ZA 198003917 A 19810814 CA 1126217 A 19820822

GB 2059916 B 19800209 TT 1132928 B 19860709

Priority Applications (me., 1966, dans): US 197983003 A 19791009

Patent Details

Nomber — Kird Lad Pg Ove Filing Notes ZA 1980/5917 - A. EN

CA H28217 A BY

Alerting Abstract... a tribular body flat when empty and of oval section when filled, with an end wall forming a hanger at one end and a tubular passageway extending from the opposite end, the sides tapering...

Original Publication Data by Andhigity

strowthib indigire)

... a manuar that when the collisions is all playing at one and, the slife wall portions will automatically become sole playing and will applicate to assume a playing anadification lewant the bollow of the container as...

...portions at an angle so as to effect a structurally weak point when the bag is supported by a banger tab. This self-pleating phenomenon results in a container wherein the memscus of the fluid...

15/3,K/2 (Item 2 from file: 350) DIALOG(R)File 350.Derwent WPIX (c) 2008 The Thomson Corporation. All its reserv.

0009261134 - Drawing available WPLACC NO: 1999-189349/199916 XRPX Acc No: N1999-138511

Portable clothes hanger holder

Patent Assignee: SIMONCIONI O M. (SIMO-I)

inventor: SIMONCIONI O M

Patent Family (1 patents, 1 countries)

Application Malle M

Kind Date Number Kind Date Update Number

A 19990302 US 1997888261 A 19970703 199916 B US 5876009

Priority Applications (no., kind, date): US 1997888261 A 19970703

ellelight tented

Kind Lan II Dvy Filing Notic radinales

US 2878009

Original Publication Data by Authority

...hook of a said clothed hanger is adepted to be bricked on said top ciles of said from wall is pervisited from siring office and of said top office to of said from wall...

...pinnilly of spaced boins in an opper portion of the lip, each of said boins adapted for insertion of an end of said book of said alother all bias paria depth bias to regulariza maini tainar of regues

15/3,K/3 (Item 3 from file: 350) DIALOG(R)File 350/Derwent WPIX (c) 2008 The Thomson Corporation, All rts. reserv.

0000018033 - Drawing available WP1 ACC NO: 1997-11127Ŵ****

XXXX Acc No: N1997-092076

hiple-ang-arcide rommongor - panjagak dokor and you benggal on sa biggl

contact side of social bousing and for pushing back on is bushed bound Priori Assignes: STEMENS AO ÁSÍODÁINAÓ ELECTRODICS LÓCISTICS AG

(TYCOM)

inventor: GIB N.; HEIMUELLEICH; SMORAVEK M. STRAEB M. VAN HOUDENHOVE R.

Patent Family (4 patents, 7 countries)

imajalik

Application

Kind Date Manher Date Update MARKETER. HHER

20 323400

19981201 [SS: [SS: [SS: [SS:]] | 19960801 [199904 E CHARMAN SO

A 19960710-200169 E B1 20011031 XX XXXXIIIX EP 253400 A 19960710 200203 E PARTICIPAL SICE

O 20011206 DE 59608044

EP 1996111106 A 19960710

Priority Applications (no., kind, date); DE 19528236 A 19950801; EP

1996131106 A 19960710

aliminali, dusinil

Number — Kind Lan Dy Dwy Mility Hoton

EP 757400 - AL DE, 12-6

Regional Confinated States, Original: ARCCES FROR CESE

m 757409 - Si de

Regional Designated States, Original: BN DE ES FR GB IT SE DE 59608044 G DE Application EF 1996111106

Based on CPT purpose 128-757409

Original Publication Data by Authority

A Marketti Sa

...at their distail and r with intriding bealer(i), and specific is in outer wall,

their their in the coverage conditions by publish into the francia bouning (ii) at right arging to the ...

...right angles onto the female housing (40), reach into the openings there in the outer wall

said plug contact side of said seeket housing orthogonally to said given plug-in direction. said cover cap having a contact region with openings formed therein said cover cap having a I chared rib engaging between said resilient inner walls, and pressure said resilient inner walls and pressure said resilient inner walls and pressure said resilient.

...said contacts; said proof saip bousing baving an enough wall to be fitted completely over said enver (sip, said enough wall in ing an end surface to be disposed in an endominateing retens...

- 15/3,X/4 (Mann'i Bronn Mer 35%) DIALOG(RYM)& 3500:Derwend WYMX (c) 2500 The Thombon Corporation, Ali ris. reserv.

0006604328 - Drawing available WPI ACC NO. 1003-668662/199309 XRPX Acc No. N.1993-652704

Drug container with oval container voten - bas annular packaging on open end of body, spherical closing member and cap holder to seal container. Patent Assignee: NIPRO CORP (NIPR N. NISSHO CORP (NISS-N)

Inventor: FUTAGAWA H; IKEDA K; NIKUCHI T

Patent Family (9 patents, 11 countries)

$x_{mixmi}\ x_{simin},\ (x_{siminsmix},\ x_{siminsmix},\ x_{s$	
Priest Application — — — — — — — — — — — — — — — — — — —	
Namber - Kind Dute Namber - Kild Dute Lindy	
-EP-529393 - A1-19930303 EP-1000114666 A-19920000000000	
-CA 2076773 - A 19930301 CA 2076773 - A 19920020 1992	
- US 5342347 - A. 19940830 US (19920812 A. 19920812 1993	
EP 529595 - BI 19951129 EP 1992114816 A 19920826 1996	
-DE 69206354 E 19960111 INT 6000000 A 19020826 1996	
22° 1992114516 A. 19920026	
-ES 2080397 - T3 19960701 EP 1882114516 - A 19920 8 26 1996	12 %
- IP IO65735 BIZ 20000717 IP 1991244562 - A. 19919429 20003	13 H
<u> XXX 201014 — HI 19990615 XX 199215300 — A 19920328 2000</u>	60 B

Patent Details

Number Kind Lan Pg Dwy Filing Notes

EP 529595 AT EN TO 3

Regional Designated States, Original: BE DE ES FR GB IT NUSE

CA 2076773 A EN

US 5342347 A EN 7-3

EP 329595 B1 EN 11 3

Regional Designated States, Original: BE DE ES FR GB IT NUSE.

DE 69206354 E. DE. Application EP 1992114516

Based on OPI patent EF 529595

ES 2080397 T3- ES Application EP 1992114516

Based on OPI patent EP 529595

JP 3065735 B2 JA 5 Previously issued patent JP 05056998

CA 2076773 C EN

Original Publication Data by Authority

siboirinchh. inningalit

...body (1), a spinistical closing member (2) hold on the amount parties (2), and a cap-like holder (4) litted on the month portion-of the container body. In use, the drug member (V) is served in a solvent container assimility (S) having...

...of a comminer body, a spherical closing manifer held on the manifer packing, soil a cap-like holder litted on the allocal partitle of the container hady. In use, the drug container is an event to another container assembly having a partition wall will a partiting red...

Claims:

...and being held on the packing to close the little little packing, and a cap-like bolder fitted on the mouth portion of the container body to hold the spinerical closing matches in place.

...heid on the packing (2) to close the born of itall packing (2), and a cap-like helder (4) litted on the mouth 'pairline (8) of the cartainse body (1) to hold the spherical closing member (3) in place

...mouth portion thereof, means for scaling the open and of the combiner body, and a cover incurber for **covering** at least said scaling means and a mouth portion of said container body, said scaling ...

cap-like holder fixed on the month portion of the consuler body to hold the spherical closing member in place, said second container including a close of a solvent of diluent and comprising a solvent container that including a close of a solvent of diluent and comprising a solvent container having first and second mouth portions at

19/3,**K**/1 (Item I from file: 347) DIALOG(R)File 347:JAPN)

(c) 2007 JPO & JAPIO. All ns. reserv.

03267841 **Image available**
FORMING PLATE MATERIAL FOR DECORATIVE CASE OR THE LIKE

FUB. NO.: 02-243341 [JP 2243341 A]

PUBLISHED: September 27, 1990 (19900927)

INVENTOR(s): MATSUZAWA KEIGO

APPLICANT(s): MEISELKOGELKK [000000] (A Japanese Company or Corporation).

 $H^{2}(Bpan)$

APPL. NO.: 01-066544 (JP 8966544)

FILED: March 17, 1989 (19890317)

JOURNAL: Section: M. Section No. 1060, Vol. 14, No. 570, Pg. 36,

December 18, 1990 (19901218)

INVENTOR(s): MATSUZAWA KEIGO

ABSTRACT

separate components such as metal hinges or the like at the joint of the wide walls and a cover to manufacture the decorative cases or the like efficiently.

NonPatent Literature Abstracts

File (211/61160 1898-2007/046 WZ

(o) 2007 Institution of Electrical Eligineers

716 - 68730 | 1964-2000 (m. 192

(c) 2008 NTIS, Intl Cpyrght All Rights Res

File 8:Ei Compendex(R) 1884-2007/Dec W3

(c) 2007 Elsevier Eng. Info. Inc.

File 35:Dissertation Abs Online 1861-2007/Oct

(c) 2007 ProQuest Info&Learning

File 583;Gale Group Globalbase(TM) 1986-2002/Dec 13

(c) 2002 The Gale Group

File 144:Pascai 1973-2007/Dec W2

(c) 2007 INIST (NRS

File 34 SciSearch(R) Cited Ref Sci 1990-2007/Dec WS

(c) 2007 The Thomson Corp

Pile 404 SciSearch(R) Cited Ref Sci 1974-1989/Dec

(c) 2006 The Thomson Corp

Tile 99: Wilson Appl. Sci & Tech Abs 1983-2007/Nov

(c) 2007 The HW Wilson Co.

File 63 Transport Res(TRIS) 1970-2007/Oct

(c) fmt only 2007 Dialog

File 65:Inside Conferences 1993-2008/Isn 03

(c) 2008 BLDSC all ns. reserv.

File 25:Weldasearch 1966-2007/Dec

(c) 2007 TWI Lid

File 95.7EME-Technology & Managemient 1989-2007/Dec W3

(c) 2007 FIZ TECHNIK

File 36:MetalBase 1965-20071226

(c) 2007 The Thomson Corporation

File 23/CSA Technology Research Database 1963-2007/Nov

(c) 2007 CSA.

File 96 FLUIDEX 1972-2007 Oct

(c) 2007 Elsevier B.V.

Set Rems Description

ST 1993 WALLSTON/COVERSTOOR HANCSTOOR CANCESTS ON SHEATHTOR MATOR MAIS OR QUILTS OR BLANKETS SOM COVERLESS FOR CANVA-STOOR TARRES

S2 20840888 PART OR PARTICLES FOR PARTS OR PECES FOR PORTION? FOR A REGION? FOR SECTION? FOR SECTIONS OR SECANDARY FOR COMPARYMENT? OR A NITS ON ZONE? FOR DIVIDE? FOR SEPARATE? FOR COMPARYMENT? OR , CELL OR CELLS OR SECENT?! OR CHAMBER? FOR PARTS OR PARTITIA ON?!

SS BOOT STONY PERFOLDED OF POLIZET OR PLEATING OR TUCKTED OR OA-THERE OR BENT OR BENDED OR CREASED OR OVERLAPT OR OVERLAY ()

SA 1/4505 SZCINKOPENINOT TÖRJIÐJÆTT FOR VENTY FOR AFBRYURET FOR A ORIFICET FOR FERFORATYT OR HAPT FOR INTERSTICATI OR INTERS-PACET FOR CAVITYT OR CUITOUT FOR CUITKOUT OR OUTS) OR SLIT OR SLITS OR SLOT OR SLOTS OR MOUTH FOR OUTLIS OR PIERCET OR SPLITS

SS 160831 HANGER??OR HOOK??OR FASTNER??OR HOLDER??OR PEG??OR KNOB??

S6 798 S513NXCLOTHING OR CLOTHES OR COATT OR JACKETT FOR DRES-S7 FOR GARMENT? FOR APPAREL? FOR WARDROBE OR HAT OR HATS -

OR CAP OR CAPS OR SHIRT? FOR PURSE? FOR HANDBAGE? OR BAG OR BAGGS?

87	<i>\$</i>	33.	$\langle N \rangle \rangle S$

- S8 0 SLAND S4 AND S6
- S9 0 SLAND S3 AND S5
- \$10 0 \$1 AND \$6
- SH 1 SEAND S6
- S12 0 W4 AND 56
- S13 149 SLAND S3
- S14 0 S13 AND S5
- SIS 18 S1(SN)S3 SI6 15 RD (unique items)
- S17 15 \$16 NOT S11
- S18 12 S17 NOT PY=2003:2007
- S19 18 S1(SN)S4
- S20 14 RD (unique items)
- S21 14 S20 NOT (\$18 OK \$11)
- 822 13 821 NOT PY=2003:2007
- \$23 0 AU=(KOEDA, F7 OR KOEDA F7)
- S24 927 AU=(MATSUZAWA, K? OR MATSUZAWA K?).
- 525 0 S24 AND S1

22/3,K/10 (Rem 2 from file; 23)
DIALOG(R)File 23 CSA Technology Research Dalabase
(c) 2007 CSA. All ris. reserv.

0004892626 IP ACCESSION NO: A94-32197
Theory of hollow operation in spot and plume modes

Mandell, M. J.; Katz, J.
Maxwell Labs., Inc., La Jolia, CA (Mandell
PUBLICATION DATE: 1994

COMPERENCE

AIAA, ASME, SAE, and ASEE, Joint Propulsion Conference and Exhibit, 30th, Indianapolis, IN, UNITED STATES, 27-29 June 1994

DOCUMENT TYPE: Confirmed RECORD TYPE: Abstract LANGUACE: ENGLISH REPORT NO: AIAA Papar 94-3134 FILE SECRESIO: Acronnece & High Tachnology

ABBRACT

... this region dominate the inflictive of the device on the external world. We treat the artifice as a homogoloous region, apart from a thin wall about homospic processes, included processes, and radiative processes are analyzed to provide the periodeses of the...

22/3,8/11 (New 3 New Nil: 23) DIALOG(N)File 23/CSA: Techniclogy Research Database (c) 2007 CSA: All ris. reserv.

0004367941 IP ACCESSION NO: N93-13101 Molten sult reactor for potentionintle Elicitophitiss (Falent Application)

STERN, KURTH, HESS, RALPHM Courney and Co., Philadelphia, PA. [STERN] PUBLICATION DATE: 1992

COMPRENCE: , ONITH STATES

DOCUMENT TYPE: Patent
RECORD TYPE: Abstract
LANGUAGE: ENGLISH
REPORT NO: AD-DOISSS; NAVY-CASE-72535
FILE SEGMENT: Acrospace & High Technology

ABSTRACT

includes a reactor chamber defined by a peripheral wall, a bottom wall and a top-cover. The bottom wall of the reactor chamber has an opening, to which a first end of a gas inlet conduit is attached so as to

22/3,K/12 (Item 4 from file; 23)
DIALOG(R)File 23:CSA Technology Research Database
(c) 2007 CSA, All rts. reserv.

0002357560 IP ACCESSION NO: WCA31669 COOKING UTENSILS PUBLICATION DATE: 1983

DOCUMENT TYPE, Patent RECORD TYPE: Abstract LANGUAGE: English

FILE SEGMENT: Ceramics Abstracts/World Ceramic Abstracts

DESCRIPTORS: Tile; Application; Utensils; Utensil; Base; Cavity; Open-cavity; Heating; Chamber; Heat; Flows; Flow; Dish; Walls; Wall;

Cover; Dry

22/3,K/13 (Rem 5 from file: 23)
DIALOG(R)File 23:CSA Technology Research Database
(c) 2007 CSA. All rts. reserv

0001815220 IP ACCESSION NO: WEA7590
WATER CLOSET INCLUDING A COVER PIECE CISTERN SHROUD AND SUPPORTING
BRACKET
PUBLICATION DATE: 1979

DOCUMENT TYPE: Patent RECORD TYPE: Abstract LANGUAGE: English

FILE SEGMENT: Ceramics Abstracts/World Ceramic Abstracts

ABSTRACT:

... and hinges is filled by a horizontally-adjustable cover piece clamped by screws to the wall brucket. The cover piece has cut - outs for the seat hinges and flush pipe, and has screws for engagement with slots of

NonPatent Literature Fulltext

File 16:Gale Group PROMT(R) 1990-2008/Dec 26

(c) 2008 The Gale Group

File 160:Gale Group PROMT(R) 1972-1989

(c) 1999 The Gale Group

File 148:Gale Group Trade & Industry DB 1976-2008/Dec 21

(c)2008 The Gale Group

File 621:Gale Group New Prod.Annou.(R) 1985-2008/Dec 21

(c) 2008 The Gale Group

File 9/Business & Industry(R) Jul/1994-2007/Dec 20

(c) 2007 The Gale Group

File 47:Gale Group Magazine DB(TM) 1959-2008/Dec 28

(c) 2008 The Gale group

File 624:McGraw-Hill Publications 1985-2008/Jan 03

(c) 2008 McGraw-Hill Co. Inc

File 15:ABI/Inform(R) 1971-2008/Jan 02

(c) 2008 ProQuest Info&Learning

File 635:Business Dateline(R) 1985-2008/Jan 03

(c) 2008 ProQuest Info&Learning

File 636:Gale Group Newsletter DB(TM) 1987-2008/Dec 28

(c) 2008 The Gale Group

Set Items Description

SI 32325 WALL? ?(2N)(COVER??? OR HANG??? OR CANOPY? ? OR SHEATH? OR MAT OR MATS OR QUILT? ? OR BLANKET? ? OR COVERLET? ? OR CANVA-5? ? OR TARP? ?)

S2 2074 690 PART OR PARTICLE? FOR PARTS OR PIECE? FOR PORTION? FOR UNIT OR SEPARATE? FOR COMPARTMENTFOR CELL OR CELLS OR SEGMENT? OR CHAMBER? FOR PARTS OR PARTITI-ON?

53 S0794 S2(3N)(INTERFOLD?? OR FOLD??? OR PLEAT??? OR TUCK??? OR GA-THER??? OR BENT OR BEND??? OR CREASE? OR OVERLAP? OR OVERLAY?)

S4 144492 S2(3N)(OPENING? 7 OR HOLE? 2 OR VENT? 2 OR APERTURE? 7 OR ORIFICE? 2 OR PERFORAT??? OR GAP? 2 OR INTERSTIC??? OR INTERSPACE? 7 OR CAVIT??? OR CUTOUT? 2 OR CUTO(OUT OR OUTS) OR SLIT
OR SLITS OR SLOT OR SLOTS OR MOUTH? 2 OR OUTLETS OR PIERC???
OR SPLIT?)

S5 ITT7847 HANGER? YOR HOOK? YOR FASTNER? YOR HOLDER? YOR PEG?? OR KNOB??

S6 8831 S5(3N)(CLOTHING OR CLOTHES OR COAT? ? OR IACKET? ? OR DRES-S7 ? OR GARMENT? ? OR APPAREL? ? OR WARDROBE OR HAT OR HATS -OR CAP OR CAPS OR SHIRT? ? OR PURSE? ? OR HANDBAG? ? OR BAG OR BAGS)

S7 38 S1(100N)S3

S8 1 S7(100N)S5

S9 386 S1(100N)S4

\$10 0 \$9(100N)\$6

S11 8 S9(100N)S5

S12 8 RD (unique items)

S13 6 S12 NOT PY=2003:2007

S14 6 S13 NOT 58

SIS 6 SIANOTS8

\$16 22 \$1(15N)\$6

\$17 \$18 \$19

16 RD (unique items) 16 S17 NOT (S15 OR S8) 10 S18 NOT PY=2003:2007

(Item I from file: 47) 8/3,1/3 DIALOG(R)File 47:Gale Group Magazine DB(TM) (c) 2008 The Gale group. All rts. reserv.

SUPPLIER NUMBER: 18813029 (USE FORMAT 7 OR 9 FOR FULL TEXT) 04628174 Wall fasteners. (varieties and installation advice)

Rooze, Art

The Family Handyman, v44, n10, p68(5)

Nov, 1996

ISSN: 0014-7230 LANGUAGE: English RECORD TYPE: Fulltext; Abstract

WORD COUNT: 577 LINE COUNT: 00044

TEXT

...expands at its throat and tips; it supports about 15 lbs. How thick is the wall you're hanging things on? Most walls are 1/2-in thick drywall. If you have an older...

anot sure how thick your walls are, drill a small hole, then explore with a piece of bent wire cost hanger before you buy the fastener.

(Item 1 from file: 16) 18/3/8/1 DIALOG(R)File 16:Gale Group PROMT(R) (c) 2008 The Gale Group. All ris. reserv.

10051604 Supplier Number: 82461642 (USE FORMAT 7 FOR FULLTEXT) Rustic camp has it all: Two men started designing, building it about a year ago.(SPORTS DAY) Sasser, Ray Dallas Morning News (TX), p24B Feb 3, 2002 Language: English Record Type: Fulltext

Document Type: Newspaper; General

Word Count: 880

tables and benches. Some furniture is lashed together. Other pieces are held together by wooden pegs driven through holes bored in two pieces of wood.

For now, the walls of their camp are tarps, but they plan to ...

..poies.

Meals are cooked over coals from the fire pit. Gear is stowed around the walls on natural hangers such as a tree with the limbs out short, each limb becoming a potential gear book. There are also ropes hanging. here and there from the frame, each with a loop...

(Item 1 from file: 148) 15/3,16/2 DIALOG(R)File 148:Gale Group Trade & Industry DB (c)2008 The Gale Group. All rts, reserv.

SUPPLIER NUMBER: 11323947 (USE FORMAT 7 OR 9 FOR FULL TEXT) 08480227 Marimekko. (design of corporate headquarters) Cohen, Edie Lee Interior Design, v62, n12, p174(4) Sept, 1991

ISSN: 0020-5508 LANGUAGE: ENGLISH RECORD TYPE: FULL TEXT WORD COUNT: 735 LINE COUNT: 00057

... industrial textured glass that casts a pinkish glow when lit with MR 16 lamps. End wall is linen-covered.

PHOTO: Opposite: Custom aluminum pegs slide into slots of the storage unit transforming it to a display vehicle when needed. Sisal floor covering: Carpet Innovations.* Vinyl floor.

15/3,K/3 (Item 2 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2008 The Gale Group, All rts. reserv.

OS322255 SUPPLIER NUMBER 05281391 (USE FORMAT 7 OR 9 FOR FULL TEXT)

ICF, New York: a grand gesture by Mario Botta in the IDCNY (showroom

design)

Cohen, Edic Lec

Interior Design, v58, p279(10)

Oct. 1987

ISSN: 0020-5508 LANGUAGE ENGLISH RECORD TYPE FULLTEXT

WORD COUNT: 1577 LINE COUNT: 00123

a large central arch, primarily for display of desks and credenzas, that in turn is partitioned with screens of perforated metal hung on calling books so they can be easily moved or removed.

That the bricks—more accurately, brick-shaped.

finish or cover treatment. Materials choices are less obvious. Traditional interior furnishings, carpet or tabric-covered. walls for example, were eschewed; industrial building materials were embraced. In addition to the bricks and...

15/3,K/5 (Item 2 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2008 The Gale group. All rts. reserv.

U3637991 SUPPLIER NUMBER: 11538187 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Wall fasteners. (guide to hanging objects)

Johnson, Duane
The Family Handyman, v41, n10, p76(4)

Nov. Dec. 1991

CODEN: FAHAA ISSN: 0014-7230 LANGUAGE: ENGLISH RECORD TYPE:

FULL TEXT: ABSTRACT

WORD COUNT: 822 LINE COUNT: 00061

they work in a wall and how to install them. May you never have a wall - banging problem again!

Tap-in

PICTURE HANGERS.

Tap either of these two common types directly into the wallboard. They come in several...

working it in slowly so it doesn't break. It works well as a picture hanger and leaves a tiny hole when removed.

Prednill

PLASTIC HOLLOW WALL ANCHOR.

Drill a hole as large as the anchor diameter, squeeze its wings together, and insert it into the **hole**. Separate the wings with a nail or the supplied peg. Available in several sizes. It remains permanently in the wall.

HOLLOW WALL ANCHOR: Drill a...

15/3,8/6 (Item 1 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2008 ProQuest Info&Learning. All its. reserv.

02305342 84988018

Integral attachment using snap-fit features: a key to assembly automation.

Part 7 - testing the conceptual design methodology with a case study.

Genc, Suat; Messler, Robert W., Gabriele, Gary A.

Assembly Automation v18n3 PP: 223-1998.

ISSN: 0144-5134 JRNL CODE AAU.

WORD COUNT: 4662.

... TEXT: Since the engaging surfaces are the same as before, applicable locking pairs are, again, cantilever book -edge, compressive book -edge, and trap-edge pairs. These are shown in Figure 9.

A solid-surface representative...

It is the cover surface. It is a gap between part surfaces. It is should also noted that there is a gap between part surfaces. The designer might take this opportunity to create a T-butt engaging surface here. This type of engaging surface can be generated by creating an ended wall on the cover surface.

For lap surfaces and a slide assembly motion, the matrix of possible locking pairs (Messler et al., 1997c) identifies options as cantilever book -edge, compressive book -edge, leaf spring-edge, and, finally, finger latch-whole part (as the catch). For the...

15/3,K/I (Item I from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2008 The Gale Group. All rts. reserv.

10051604 Supplier Number: 82461642 (USE FORMAT 7 FOR FULLTEXT)
Rustic camp has it all: Two men started designing, building it about a year
ago.(SPORTS DAY)

Sasser, Ray
Dallas Morning News (TX), p24B
Feb 3, 2002
Language: English Record Type: Fulltext
Document Type: Newspaper; General
Word Count: 880

... tables and benches. Some furniture is lashed together. Other pieces are held together by wooden pegs driven through holes bored in two

pieces of wood.

For now, the walls of their camp are turps, but they plan to ...

...poles.

Meals are cooked over coals from the five pit. Gear is stowed around the walls on natural hangers such as a tree with the limbs cut short, each limb becoming a potential year book. There are also ropes hanging here and there from the frame, each with a loop.

15/3,K/2 (Hem 1 from file: 148)

DIALOG(R)File 148 Gale Group Trade & Industry DB (c)2008 The Gale Group, All rts, reserv.

05480227 SUPPLIER NUMBER: 11323947 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Marimekko. (design of corporate headquarters)

Cohen, Edie Lee

Interior Design, v62, 012, p174(4)

Sept, 1991

ISSN: 0020-5508 LANGUAGE: ENGLISH RECORD TYPE: FULL TEXT

WORD COUNT: 735 LINE COUNT: 00057

industrial textured glass that casts a pinkish glow when lit with MR 16 lamps. End wall is linen-covered.

PHOTO: Opposite: Custom aluminum pegs slide into slots of the storage unit transforming it to a display vehicle when needed. Sisal floor covering: Carpet Innovations * Vinyi floor...

15/3,K/3 (Item 2 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB (c)2008 The Gale Group. All rts. reserv.

03322255 SUPPLIER NUMBER: 05281391 (USE FORMAT 7 OR 9 FOR FULL TEXT)

ICF, New York: a grand gesture by Murio Botta in the IDCNY, (showroom design)

Cohen, Edie Lee

Interior Design, v58, p270(10)

Oct, 1987

ISSN: 0020-5508 LANGUAGE: ENGLISH RECORD TYPE: FULL TEXT WORD COUNT: 1577 LINE COUNT: 00123

a large central arch, primarily for display of desks and credenzas, that in turn is partitioned with screens of perforated metal hung on ceiling hooks so they can be easily moved or removed.

That the bricks—more accurately, brick-shaped...

finish or cover treatment. Materials choices are less obvious. Traditional interior furnishings, carpet or fabric- covered. walls for example, were eschewed, industrial building materials were embraced. In addition to the bricks and...

15/3,K/4 (item 1 from file: 47)

DIALOG(R)File 47: Gale Group Magazine DB(TM)

(c) 2008 The Gale group. All rts. reserv.

SUPPLIER NUMBER: 64565408 (USE FORMAT 7 OR 9 FOR FULL TEXT) 05877361

How To Start Collecting.

Murphy, Tom

American Handgunner, 24, 148, 72

Sept. 2000

ISSN: 0145-4250 LANGUAGE: English RECORD TYPE: Fullext

WORD COUNT: 1417 LINE COUNT: 00107

generally undesirable as a collector's firearm.

Relic: Very heavily rusted, burned or deeply pitted, pieces missing, barrel split or broken, wood missing, badly cracked, totally inoperable, a wall-hanger at best. Some relics have certain historical significance that adds much to their value--such...

(Item 2 from file: 47) 15/3.8/8

DIALOG(R)File 47:Gale Group Magazine DB(TM)

(c) 2008 The Gale group. All ris. reserv.

SUPPLIER NUMBER: 11538187 (USE FORMAT 7 OR 9 FOR FULL TEXT) 63837891

Wall fasteners, (guide to hanging objects)

Johnson, Duane

The Family Handyman, v41, n10, p76(4)

Nov-Dec, 1991

CODEN: FAHAA ISSN: 0014-7230 LANGUAGE: ENGLISH RECORD TYPE:

FULLIEXT: ABSTRACT

WORD COUNT: 822 LINE COUNT: 00061

they work in a wall and how to install them. May you never have a wall - hanging problem again!

200-10

PICTURE HANGERS

Tap either of these two common types directly into the wallboard. They come in several...

...working it in slowly so it doesn't break. It works well as a picture hanger and leaves a tiny hole when removed.

Predriii

PLASTIC HOLLOW WALL ANCHOR.

Drill a bole as large as the anchor diameter, squeeze its wings together, and insert it into the hole. Separate the wings with a nail or the supplied peg. Available in several sizes, it remains permanently in the wall.

HOLLOW WALL ANCHOR.

Drill a...

(Item I from file: 15) 15/3.8/6

DIALOG(R)File 15:ABI/Inform(R)

(c) 2008 ProQuest Info&Learning. All rts. reserv.

02305342 84988018

Integral attachment using snap-lit features: a key to assembly automation.

Part 7 - testing the conceptual design methodology with a case study

Genc, Suat; Messler, Robert W.; Gabriele, Gary A.

Assembly Automation v18n3 PP: 223-1998 ISSN: 0144-5154 JRNL CODE: AAU WORD COUNT: 4662

TEXT: Since the engaging surfaces are the same as before, applicable locking pairs are, again, cantilever, book-edge, compressive, book-edge, and trap-edge pairs. These are shown in Figure 9.

A solid-surface representative...

feature placement again yields lap engaging surfaces. It should also noted that there is a gap between part surfaces. The designer might take this opportunity to create a T-butt engaging surface here. This type of engaging surface can be generated by creating an ended wall on the cover surface.

For lap surfaces and a slide assembly motion, the matrix of possible locking pairs (Messler et al., 1997c) identifies options as cantilever hook -edge, leaf spring-edge, and, finally, finger latch-whole part (as the catch). For the